CERTIFICATE OF COMPLIANCE

Certificate Number 20180802-E96454

Report Reference E96454-20180731

Issue Date 2018-AUGUST-02

Issued to: SCHURTER AG

Werkhofstrasse 8-12

P.O.Box

CH-6002 Lucerne SWITZERLAND

This is to certify that representative samples of

ATTACHMENT PLUGS, FUSELESS

Appliance Connector, Series 4781, 4782, 4784 and 4785. Refer to Nomenclature Breakdown for type designations.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60320-1 and CSA C22.2 No.60320-1-11, Appliances

Couplers for Household and Similar General Purposes

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

(U)



Attachment Plugs, Fuseless

COMPANY

SCHURTER AG

Werkhofstrasse 8-12 PO Box Lucerne, 6002 Switzerland

E96454

View model for additional information

Attachment plugs, Model(s): 4732, 4733, 4735, 4736, Series 4789 and 4796, Series 9009

Cord Connector, Model(s): <u>Series 4300.0921</u> with or without Suffixes A through Z.

Cord connectors, Model(s): Series 0101, Series 0104U, Series 1658, Series 1659, Series 4771 and 4772, Series 4781, 4782, 4784, 4785, Series 4783, Series 4790, Series 4795

Cord connectors, Model(s): <u>4799</u> 4799 - 0 X X 0 - 0 0 I II I - Cable Guard 0 3 II - Color 0 1 2

Plug Connector, Model(s): Series 4300.0922 with or without Suffixes A through Z.

Last Updated on 2024-09-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."



Attachment Plugs, Fuseless Certified for Canada

COMPANY

SCHURTER AG

Werkhofstrasse 8-12 PO Box Lucerne, 6002 Switzerland

E96454

View model for additional information

Attachment plugs, Model(s): 4732, 4733, 4735, 4736, Series 4789 and 4796, Series 9009

Cord connectors, Model(s): <u>Series 0101</u>, <u>Series 0104U</u>, <u>Series 1658</u>, <u>Series 1659</u>, <u>Series 4771 and 4772</u>, <u>Series 4781, 4782, 4784, 4785</u>,

<u>Series 4783</u>, <u>Series 4790</u>, <u>Series 4795</u>

Cord connectors, Model(s): 4799 4799 - 0 X X 0 - 0 0 I II I - Cable Guard 0 3 II - Color 0 1 2

Last Updated on 2024-09-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."

File E96454 Project 4788448217

July 31, 2018

REPORT

On

ATTACHMENT PLUGS, FUSELESS

SCHURTER AG LUZERN, CH-6002, SWITZERLAND

Copyright © 2018 UL LLC

UL LLC authorizes the above named company to reproduce this Report only for purposes as described in the Conclusion. The Report should be reproduced in its entirety; however to protect confidential product information, the Construction Details Descriptive pages may be excluded.

File E96454 Vol. 2 Sec. 11 Page 1 Issued: 2018-07-31 and Report

DESCRIPTION

PRODUCT COVERED:

USL, CNL - Appliance Connector, Series 4781, 4782, 4784 and 4785. Refer to Nomenclature Breakdown for type designations.

GENERAL:

These 2-pole, 3-wire Appliance Connectors are rated 15 A, 250 V ac. The subject devices have been investigated to UL 60320-1, cold or hot condition. This device configuration and voltage rating are as indicated below:

Cat No./ Series	Electrical Rating	Configuration
4781	15 A, 250 V ac	C15
4784		
4782	15 A, 250 V ac	C13
4785		

USL - Indicates investigation to the requirements of the Standard for Appliance Couplers For Household And Similar General Purposes, UL 60320-1,.

 ${
m CNL}$ - Indicates investigation to the requirements of the Canadian National Standards for Appliance Couplers For Household And Similar General Purposes, C22.2 No. 60320-1.

File E96454 Vol. 2 Sec. 11 Page 2 Issued: 2018-07-31 Revised: 2020-08-20 and Report

NOMENCLATURE BREAKDOWN

Series 4781 and 4782

XXXX - 0 X X 0 - 0 0 II III

I - Series

4781 = Series 4781 (C15, straight) 4782 = Series 4782 (C13, straight)

II - Cable Guard

0 = for cable max. diameter 8.5 mm

= for cable max. diameter 10 mm

*III - Color

0 = black

1 = grey

2 = white

Series 4784 and 4785

xxxx - 0 x x 0 - 0 0II III

I - Series

4784 = Series 4784 (C15, angled)

4785 = Series 4785 (C13, angled)

II - Cable Guard

0 = for cable max. diameter 8.5 mm

= for cable max. diameter 10 mm

III - Color

0 = black